BORDA 诺安

BOBOA 博诺安®

/B+H

&RPSDQ\

3URÏèyLN™H

.þ - § Ã •)0 ž Ø

“ ” 2014

“ ” ___

20

10

- \ BM³=y G 4 ó

G20 80+
4G AI
ASC

§EMË È •)0 0 m

5G “ + ”
3.25 20 / 3000

99.8%óT ISO 9001 CE CCC
300

‡A' ¶ ÿ ÿ • M±#$ä %¶- ž"k

“ BOROA ” “ + ”
100

W’ l œ

“ ”
“ + ”
“ ”



5FDIOPMPHZ 4NBSU 8BSNUI (MPCBM 4IBSJOH



Guangdong Hause Thermal Energy Equipment Co.,Ltd. (hereinafter referred to as"Hause Thermal Energy") was founded in 2014, headquartered in Huangpu Town,Zhongshan City, Guangdong Province, which is the "Capital of Chinese HomeAppliances". It is a national high-standard digital factory and a high-tech enterprisewith intelligent heating technology as its core. The company focuses on the researchand development, manufacturing and global operation of domestic gas wall-hungboilers, commercial boilers and intelligent control systems, and its products are soldwell in more than 20 provinces, municipalities and autonomous regions across thecountry and exported to Europe, the United States, Central Asia and other more than10 countries and regions, providing users around the world with "high-efficiency, lowcarbon,intelligent" heating solutions.

5FDIOPMPHZ MFBET UIF JOEVTUSZ TUBOEBSE

Hause Thermal Energy is a digital workshop, digital intelligence manufacturingbenchmark enterprise, is China's heating industry technology benchmark enterprise,China Gas Heating Professional Committee G20 enterprises .- Leading participation in the development of a number of national and industrystandards, with 80 + core technology patents;- Exclusive research and development of 4G Smart Warm Cloud Service IOT system,realizing remote diagnosis and AI intelligent regulation of equipment;- Groundbreaking mastery of "full pre-mixed condensing low-NOx technology","vector frequency conversion heating technology" and "adaptive ASC control system",the technical performance reaches the international advanced level.

*OUFMMFDUVBM 4USFOHUI (MPCBM -BZPVU

Hause 5G Digital Intelligence Industrial Park is driven by the dual core of "SmartFactory + Digital Ecology" to build a world-leading heating equipment intellectualmanufacturing base: With a building area of 32,500 square meters, the annual production capacity covers200,000 units of gas/electric heating equipment and 3,000 units of full pre-mix commercial boilers; Equipped with fully automated production lines, national laboratories and precisiontesting systems, the product qualification rate is over 99.8%; Passed ISO 9001, CE, CCC and other international certifications, the quality of thestandard of the European Union; Trusted by users: the choice of 3 million users worldwide.

#PSPB 1JPOFFS PG GVMM QSFNJY DPOEFOTJOH GVSOBDF

BOROA, the core brand of Hause Thermal Energy, has won high recognition in the market with the dual empowerment of "technology + service ". Honors: Won the authoritative awards of "Top 100 Chinese National Brands", "Industry Leader Certification", "Low Carbon and Energy Saving Superior Products" and so on.

7JTJPO GPS UIF GVUVSF

Hause Thermal Energy will continue to uphold the business philosophy of "qualitydriven,innovation-led, dare to break and establish, and follow the trend", take digitaltransformation as the engine, continue to deepen the two-wheeled strategy of"intelligence + service", lead the industry's high-quality development, and build aglobalized intelligent heat supply ecosystem to help achieve the "double carbon" goal.We will continue to deepen the two-wheel strategy of "Smart Manufacturing +Service", lead the high-quality development of the industry, build a globalized smartheating ecosystem, help realize the goal of "Double Carbon", and let the world feelthe temperature and power of China's smart manufacturing!









b Á‘

&RUSRUDWLRQ

è

•ñÄK39ž c

b ^šO

9DOXH

tWë-Xï ïë-_›

ë-› Qkë-XK¬

• Â½

3KLORVRSK\

}ÅÜ ë•–Å

€D‘y ¿ ò

b „w

&RUSRUDWH 0LVVLRQ

ß ?%²y ï

“ ,?%² ^

%•· É X x d ⊞ T 7(U7`Ó`Ð" B J

Over the years, the company has obtained China energy-saving product certification, China Environmental Protection Certification, Quality Management ISO9001.2015, environmental management ISO14001.2015, Occupational Health ISO45001.2018 safety management system certification, wall-hanging stove"Quality" certification, enterprise standard"Leader" certificate, as well as a number of invention patents.

These honors are the recognition of our product performance, but also reflects the technical and brand advantages of bonoy. Sustainable operation and sound development is Bonoy's business philosophy of high-quality service, with the spirit of Veronica Guerin, condense the honor of today, re-create the glory of tomorrow.



竭诚服务

1í17 \0‘ 7Û#o \Y

,Ý6Ä

ˆ .³ 7Û#oA»O•¼

“

”



:™@ FK

'oAxDñ@8

'¬6CDñ@8







家用应用场景 1

小户型
采暖面积90m²~150m²
24kW

方案详情





效果展示



中户型
采暖面积 150m ~240m





Smart Heating

ENTERPRISE INTRODUCTION.

系统配置与核心部件

核心配件



贝卡尔特铸铝换热器
（比利时）



EBM风机
ebmpapst（德国）



EBM燃气比例阀
ebmpapst（德国）



西特燃气阀
（意大利）



27.5
cm



2¯dò7©Ơ¥š YÔ_Æ©

洗浴

生活热水

@@'+ Fm/ 0Y7-9BcÈ R«
低于 0mg/kw.h



90度外翻盖设计



@@'+ Fm/ 0Y7-9BcÈ R«
低于 0mg/kw.h

ë

• G ò Î Ñ k † L k Æ H
` ¢ ê Ë Ô Åož

] º •

* Å y ¡ ½| ä rãâê ä9 ¢ ö
Õ 45^ y i 9 ¢ ö k L y ñ ¢ ré´ ö
Õož

• ‰f Z

ræäã ¾Ý ² º g k 6 2 k ø - ²
]# q • ož

µ T ƒ

ä “ ‘ o• z 9 ‘ o• …t » ‘ o• `
9 ‘ o• Þ Ù Â ® ‘ ˆ rãâÚ ¾ ¶ … ož

型 号		LL1GBQ24-LIKE	LL1GBQ30-LIKE	LL1GBQ36-LIKE
i 7dk ,h A»jí TE	. :	24.4	30.4	36.4
7¸,Ýb 7da "¨ #nÐU	. :	3 5	4 3	5.2
7¸,Ý$9Eí= ‘a "¨ #nÐU	. :	3 5	4 3	5.2
ik ,h" "«A»a "¨	KW	25 5	32 0	38.6
A A9#nÐU	KW	12 2	15 2	18.2
7¸)ı ik ,h b 7dA»6 DU8 Ü 6 Ü		vl05	vl05	vl05
7¸)ı ik ,h" "«A»6 DU50 Ü 30 Ü		vl07	vl07	vl07
b 7dMÉÞ›‡ * $¥#i	MPa	0 3	0 3	0.3
$9>Ð7¸,Ý> b	kg min	3	3	3
uA»= DU t 25K	kg min	13 4	16.7	20.0
ik ,hF #nÐU	W	125	140	140
RvQ = L $m $¥#i	Mpa	0 1	0 1	0.1
$ PÑ℘å<ãb)÷B <â12T	m^3 h	0 37 2 58	0 46 3 22	0.55-3.85
$ PÑb 7dh0‰	m^2	81 185	101 231	121-277
u%- ,˘ fM , kƒ	mm	710 420 334	710 420 334	710 420 334
1R(L Ou		7	7	7
b 7di '‹ = 4s$— ,˘	LQFK	*	*	G3/4
B <â4s$— ,˘	LQFK	*	*	G3/4
" A»= 4s$— ,˘	LQFK	*	*	G1/
$ÚBO$' <âLo	P P			60*100
7H7d_7Ù	ÿ	7×	7×	7×



@@'+ Fm / 0 Y 7-9BcÈ R«
低于 0mg/kw.h

i 7dk ,hA»jí TE	24.4	30.4
7،,Ýb 7đa'" #mDU	3 0	3 8
7،,Ý$9Eí= ‘a'" #mDU	3 0	3 8
ik ,h" "«A»a'"	25 5	32 0
A A9#mDU	10 0	12 0
7،)ı ik ,hb 7dA»6 DU8 Ü 6 Ü	98	98
7،)ı ik ,h" "«A»6 DU50 Ü 30 Ü	108	108
b 7dMÉ»‡ * $Y#i	0 3	0 3
$9>B7،,Ý> b	3	
uA»= DU t 25K	13 4	
ik ,hF #mDU	125	
RvQ = L $m $Y#i	0 1	
$ PÑPå<ãb)÷B <â12T	0 32 2 58	
$ PÑb 7dh0J‰	81 185	
u%- ,˘ fM , kƒ	710 400 317	
1 R{L Ou	7	
b 7di ’‹ = 4s$– ,˘	*	
B <â4s$– ,˘	*	
" A»= 4s$– ,˘	*	
$ÚBOS' <âLo		
7H7d_7Û	7×	